



GEWISS

IEC 309 Industrial Plug Sets

Product Description & Specifications:

Features of the range include -

- The Gewiss range of IEC 309 industrial switches and plug sets are the international standard when connecting electrical components
- in an industrial application
- From 16 to 125A
- Durable covers with spring shut operation
- IP67

Range includes -

- Plugs from 16 to 125A in 240 and 415VAC in straight and angled configuration
- Appliance inlets from 16 to 125A in 240 and 415VAC
- Cord connectors
- Flush and surface sockets
- Reefer plugs and sockets to suit refrigerated containers with specific earth connection
- Switched surface sockets from 16 to 125A in 240 and 415VAC



Straight and 90 Deg. Plugs IP67

Part no.	Current rating A	Voltage	No. of poles
Straight type			
GW61026	16	240	2P+ E
GW61030	16	415	3P+E
GW61031	16	415	3P+N + E
GW60037	32	240	2P+E
GW60041	32	415	3P+E
GW60042	32	415	3P+N+E
GW61048	63	240	2P+E
GW61052	63	415	3P+E
GW61053	63	415	3P+N+E
GW60060	125	415	3P+E
GW60061	125	415	3P+N+E
90 deg type			
GW60108	16	240	2P+E
GW60112	16	415	3P+E
GW60113	16	415	3P+N+E
GW60119	32	240	2P+E
GW60123	32	415	3P+E
GW60124	32	415	3P+N+E



Straight and 90 Deg. Plugs IP67 (cont.)

Part no.	Current rating A	Voltage	No. of poles
90deg Appliance inlets			
GW60426	16	240	2P+E
GW60430	16	415	3P+E
GW60431	16	415	3P+N+E
GW60437	32	240	2P+E
GW60441	32	415	3P+E
GW60442	32	415	3P+N+E
GW61448	63	240	2P+E
GW61452	63	415	3P+E
GW61453	63	415	3P+N+E
GW60460	125	415	3P+E
GW60461	125	415	3P+N+E 454.45
GWS60263	Watertight cap to suit 16A 2P+E Appliance inlets		
GWS60264	Watertight cap to suit 16A 3P+E Appliance inlets		
GWS60265	Watertight cap to suit 16A 3P+N+E Appliance inlets		
GWS60266	Watertight cap to suit 32A 2P+E & 3P+E Appliance inlets		
GWS60267	Watertight cap to suit 32A 3P+N+E Appliance inlets		

Cord Connectors

Part no.	Current rating A	Voltage	No. of poles
GW62026	16	240	2P+E
GW62030	16	415	3P+E
GW62031	16	415	3P+N+E
GW62037	32	240	2P+E
GW62041	32	415	3P+E
GW62042	32	415	3P+N+E
GW63048	63	240	2P+E
GW63052	63	415	3P+E
GW63053	63	415	3P+N+E
GW62060	125	415	3P+E
GW62061	125	415	3P+N+E

Flush Sockets

Part no.	Current rating A	Voltage	No. of poles
GW62227	16	240	2P+E
GW62231	16	415	3P+E
GW62232	16	415	3P+N+E
GW62238	32	240	2P+E
GW62242	32	415	3P+E
GW62243	32	415	3P+N+E
GW63249	63	240	2P+E
GW63253	63	415	3P+E
GW63254	63	415	3P+N+E
GW62261	125	415	3P+E
GW62262	125	415	3P+N+E



Surface Sockets

Part no.	Current rating A	Voltage	No. of poles
GW62426	16	240	2P+E
GW62430	16	415	3P+E
GW62431	16	415	3P+N+E
GW62437	32	240	2P+E
GW62441	32	415	3P+E
GW62442	32	415	3P+N+E
GW63448	63	240	2P+E
GW63452	63	415	3P+E
GW63453	63	415	3P+N+E

Reefer Plugs And Switched Sockets

Reefer connectors have a specific earth pin located at 3 o'clock, standard connectors have the earth at 6 O'clock.

This prevents the unauthorized use of dedicated power supplies for refrigerated containers

Part no	Description	Current rating A	Voltage	Poles
GW60145	IP67 straight plug	32	415	3P+E
GW62128	IP67 extension cord socket	32	415	3P+E
GW62556	IP67 10 degree flush socket	32	415	3P+E
GW66257	IP55 switched socket	32	415	3P+E

90 Deg Angle Surface Sockets

Part no.	Current rating A	Voltage	No. of poles
GW62499	16	240	2P+E
GW62504	16	415	3P+E
GW62505	16	415	3P+N+E
GW62511	32	240	2P+E
GW62515	32	415	3P+E
GW62516	32	415	3P+N+E
GW63552	63	240	2P+E
GW63526	63	415	3P+E
GW63527	63	415	3P+N+E
GW62534	125	415	3P+E
GW62535	125	415	3P+N+E

Switched Sockets IP67

Part no.	Current rating A	Voltage	No. of poles
GW66204N	16	240	2P+E
GW66208N	16	415	3P+E
GW66209N	16	415	3P+N+E
GW66215N	32	240	2P+E
GW66219N	32	415	3P+E
GW66220N	32	415	3P+N+E
GW67259N	63	240	2P+E
GW67263N	63	415	3P+E
GW67264N	63	415	3P+N+E



Switched Sockets Standard Heavy Duty IP66

Part no.	Current rating A	Voltage	No. of poles
GW66504	16	240	2P+E
GW66508	16	415	3P+E
GW66509	16	415	3P+N+E
GW66515	32	240	2P+E
GW66519	32	415	3P+E
GW66520	32	415	3P+N+E
GW66527	63	240	2P+E
GW66531	63	415	3P+E
GW66532	63	415	3P+N+E

Switched Sockets Standard Heavy Duty IP66 c/w Din Module

Part no.	Current rating A	Voltage	No. of poles
GW66977	16	240	2P+E
GW66981	16	415	3P+E
GW66982	16	415	3P+N+E
GW66988	32	240	2P+E
GW66992	32	415	3P+E
GW66993	32	415	3P+N+E
GW66869	63	240	2P+E
GW66873	63	415	3P+E
GW66874	63	415	3P+N+E

Please contact your distributor for pricing details.

Distributed by:

N.A.W. Controls Victoria
98 Commercial Drive, Thomastown VIC 3074
[Phone \(03\) 9464 6555](tel:0394646555) [Fax \(03\) 9464 5155](tel:0394645155)
[Email sales@nawcontrols.com.au](mailto:sales@nawcontrols.com.au)
www.nawcontrols.com.au

Sparky Shed
10/229 Robinson Road East,
Geebung QLD 4034
[Phone \(07\) 3265 3968](tel:0732653968) [Fax \(07\) 3265 1098](tel:0732651098)
www.sparkyshed.com.au

Tobin Electrical Components
2C Brunner Road, Chullora NSW 2190
[Phone 1300 TOBINS, \(02\) 8713 5200](tel:021300713) [Fax \(02\) 9790 5211](tel:0297905211)
[Email sales@tobins.com.au](mailto:sales@tobins.com.au)
www.tobins.com.au

Switchgear Direct
38 McMillan Road, Echuca VIC 3564
[Phone \(03\) 5484 3399](tel:0354843399) [Fax \(03\) 5410 1044](tel:0354101044)
[Email sales@switchgeardirect.com.au](mailto:sales@switchgeardirect.com.au)
www.switchgeardirect.vpweb.com.au

Gordon Wood & Company
31 Sunderland Street, Moonah TAS 7009
[Phone 03 6273 4455](tel:0362734455) [Fax 03 6273 4734](tel:0362734734)
www.gordonwood.net.au

Levey Agencies
12 Annie Street, Wickham NSW 2293
Warehouse Hours 8am-4pm
[Phone \(02\) 4023 3844](tel:0240233844) [Fax \(02\) 4023 3458](tel:0240233458)
www.leveyagencies.com.au

Uniquip Industries
2/6 Colin Jamieson Drive, Welshpool WA 6106
[Phone 08 9451 4782](tel:0894514782) [Fax 08 9451 7057](tel:0894517057)
[Email sales@uniquip.net.au](mailto:sales@uniquip.net.au)
www.uniquip.net.au