



Load Break Switches

Product Description & Specifications:

The C&S, ENSTO and Tend load break switch range covers most applications

The C&S range covers switches from 25 to 3150A including -

- Load break switches in 3 and 4 pole
- Fuse switches
- A large range of accessories to suit

The Ensto range includes -

- Load break din mount isolators from 25 to 125A
- In 3 and 4 pole
- A large range of electrical and mounting accessories

The Tend range includes -

- IP65 lockable isolators from 32 to 80A
- Panel, din or enclosed mounting options
- In 3 and 4 pole



Load Break Switches

Part no.	No. of poles	Rated current at AC22A	kA Rating	Type of operation
CSSD 25 D1	3+N	25	1.9kA for 1 sec	Handle
CSSD 25 D4	4	25	1.9kA for 1 sec	Handle
CSSD 40 D1	3+N	40	2.0kA for 1 sec	Handle
CSSD 40 D4	4	40	2.0kA for 1 sec	Handle
CSSD 63 K3	3+N	63	2.7kA for 1 sec	Handle
CSSD 63 K4	4	63	2.7kA for 1 sec	Handle
CSSD 125 D1	3+N	125	3.6kA for 1 sec	Handle
CSSD 125 D4	4	125	3.6kA for 1 sec	Handle
CSSD 200DM 3	3	200	30kA for 1 sec	Handle
CSSD 200DM 4	4	200	30kA for 1 sec	Handle
CSSD 250DM 3	3	250	30kA for 1 sec	Handle
CSSD 250DM 4	4	250	30kA for 1 sec	Handle
CSSD 400 D1	3+N	400	36kA for 1 sec	Handle
CSSD 400 D4	4	400	36kA for 1 sec	Handle
CSSD 630 K3	3	630	36kA for 1 sec	Handle
CSSD 630 K4	4	630	36kA for 1 sec	Handle
CSSD 800 K3	3	800	36kA for 1 sec	Handle
CSSD 800 K4	4	800	36kA for 1 sec	Handle



Load Break Switches (cont.)

Part no.	No. of poles	Rated current at AC22A	kA Rating	Type of operation
CSSD 1000 K3	3	1000	50kA for 1 sec	Handle
CSSD 1000 K4	4	1000	50kA for 1 sec	Handle
CSSD 1250 K3	3	1250	50kA for 1 sec	Handle
CSSD 1250 K4	4	1250	50kA for 1 sec	Handle
CSSD 1600 K3	3	1600	50kA for 1 sec	Handle
CSSD 1600 K4	4	1600	50kA for 1 sec	Handle
CSSD 1800 K3	3	1800	50kA for 1 sec	Handle
CSSD 1800 K4	4	1800	50kA for 1 sec	Handle
CSSD 2500 K3	3	2500	80kA for 1 sec	Handle
CSSD 2500 K4	4	2500	80kA for 1 sec	Handle
CSSD 3150 K3	3	3150	80kA for 1 sec	Handle
CSSD 3150 K4	4	3150	80kA for 1 sec	Handle

Load Break Accessories

Part no.	Description
CSSDZS57	5mm 300mm long extension shaft suits CSSD25C1 to CSSD125C1
CSSDZK44	12mm 465mm long extension shaft suits CSSD200D1 to CSSD800K3
YASDB 20	Large handle to suit CSSDZS57
CSSF 701	Terminal shroud to suit CSSD63
CSSF 702	Terminal shroud to suit CSSD125 to 200
CSSF 703	Terminal shroud to suit CSSD250 to 400
CSSF 704	Terminal shroud to suit CSSD630 to 800

Eureka Compact Load Break Switch

Part no.	Description
EUR-3-250	3 Pole load break isolator 250amp din mount
EUR-3-250PD	Padlock attachment to suit

Load Break Switches with Direct Lockable Handle

Part No.	Description
KS3.25	3 pole 25A load break switch with direct lockable handle
KS3.40	3 pole 40A load break switch with direct lockable handle
KS3.63	3 pole 63A load break switch with direct lockable handle
KSM3.80	3 pole 80A load break switch with direct lockable handle
KSM3.100	3 pole 100A load break switch with direct lockable handle
KSM3.125	3 pole 125A load break switch with direct lockable handle
KSM3.125RY	3 pole 125A load break switch with direct red / yellow lockable handle

Load Break Switches with No Handle

Part No.	Description
KSM31.63	3 pole 63A load break switch, no handle
KSM31.80	3 pole 80A load break switch, no handle
KSM31.100	3 pole 100A load break switch, no handle
KSM31.125	3 pole 125A load break switch, no handle



4th Pole

Part No.	Description
KSM1.63	Additional 4th pole 63A
KSM1.80	Additional 4th pole 80A
KSM1.100	Additional 4th pole 100A
KSM1.125	Additional 4th pole 125A

Accessories

Part No.	Description
KSA1	Auxiliary contact 1 N/O 1 N/C to suit KS3.25 to KSM3.125
KSH48	Handle IP65 red / yellow
KSH48.2	Handle IP65 black with no interlock
KSH48.01	Handle IP65 black
KSH75RY	Handle IP65 red / yellow pistol grip
KS23.090	90mm shaft and adaptor
KS23.150	150mm shaft and adaptor
KS23.300	300mm shaft and adaptor
PMR123	Terminal shroud to suit KS3.25 to KSM3.125
PMR111	Terminal shroud to suit KSM1.63 to KSM1.125 4th pole
PMR113	Terminal shroud to suit KSM3 to KSM31

Tend Isolators

Part no.	AC21 rating at 415V	Mounting	No of poles
TDS33-FRR	32	Panel	3
TDS66-FRR	63	Panel	3
TDS80-FRR	80	Panel	3
TDS33-BRR3	32	Din	3
TDS66-BRR3	63	Din	3
TDS80-BRR3	80	Din	3
TDS33-ERR	32	Enclosed	3
TDS66-ERR	63	Enclosed	3
TDS80-ERR	80	Enclosed	3
TDS433-FRR	32	Panel	4
TDS440-FRR	40	Panel	4
TDS466-FRR	63	Panel	4
TDS480-FRR	80	Panel	4
TDS433-BRR3	32	Din	4
TDS440-BRR3	40	Din	4
TDS466-BRR3	63	Din	4
TDS480-BRR3	80	Din	4

Please contact your distributor for pricing details.

Distributed by:

N.A.W. Controls Victoria
98 Commercial Drive, Thomastown VIC 3074
Phone (03) 9464 6555 **Fax** (03) 9464 5155
Email sales@nawcontrols.com.au
www.nawcontrols.com.au

Sparky Shed
10/229 Robinson Road East,
Geebung QLD 4034
Phone (07) 3265 3968 **Fax** (07) 3265 1098
www.sparkyshed.com.au

Tobin Electrical Components
2C Brunner Road, Chullora NSW 2190
Phone 1300 TOBINS, (02) 8713 5200 **Fax** (02) 9790 5211
Email sales@tobins.com.au
www.tobins.com.au

Switchgear Direct
38 McMillan Road, EchUCA VIC 3564
Phone (03) 5484 3399 **Fax** (03) 5410 1044
Email sales@switchgeardirect.com.au
www.switchgeardirect.vpweb.com.au

Gordon Wood & Company
31 Sunderland Street, Moonah TAS 7009
Phone 03 6273 4455 **Fax** 03 6273 4734
www.gordonwood.net.au

Levey Agencies
12 Annie Street, Wickham NSW 2293
Warehouse Hours 8am-4pm
Phone (02) 4023 3844 **Fax** (02) 4023 3458
www.leveyagencies.com.au

Uniquip Industries
2/6 Colin Jamieson Drive, Welshpool WA 6106
Phone 08 9451 4782 **Fax** 08 9451 7057
Email sales@uniquip.net.au
www.uniquip.net.au