

Eureka




Relays & Bases

Product Description & Specifications:

Features of the range include -

- Large range of relays and bases to suit most applications
- Solid state dimmers for fan speed control
- Heat sinks are available to suit solid state and dimmer units
- 1,2 and 4 pole units and bases available
- Range includes -
- Solid state dimmers and relays
- Square and round pin
- From 5 to 30A
- Phase fail relays
- Slim line and ultra slim relays
- Heavy duty relays



Solid State Relays

Zero crossing turn on. Zero current turn off.

With led indication. Operating temperature 20-80° C.

Load current is based on the correct heatsink being used.

Part no.	Load Current AC	Load Voltage Range	Input Signal
SRA2510N	10	90 - 240V AC	90 - 250V AC
SRD2525N	25	90 - 240V AC	3 - 32V DC
SRD2540N	40	90 - 240V AC	3 - 32V DC
SRU2425N	25	90 - 240V AC	3 - 32V AC/DC
SRU2440N	40	90 - 240V AC	3 - 32V AC/DC
SRA4840N	40	90 - 480V AC	90 - 480V AC

Silicone Heat Transfer Compound

Essential for maintaining a positive seal between the heat sink and the device.

Part no.	Description
SIL10	Silicone heat transfer compound - 10gm
SIL150	Silicone heat transfer compound - 150gm



Solid State Dimmers

Block type variable voltage output type. Complete with external potentiometer.

Part no.	Load current	Input signal
SRR2510	10A	25-250VAC
SRR2525	25A	25-250VAC
SRR2540	40A	25-250VAC

Heatsinks

Part no.	Description
TSSR02-1P	Heatsink to suit 1 SSR (replaces HS-1)
TSSR02-2P	Heatsink to suit 2 SSR (replaces HS-2)
TSSR02-3P	Heatsink to suit 3 SSR (replaces HS-3)
TSSR03	Din Rail Mounting Clip to suit Heatsink
TSSR04	Heat Conduction Rubber Pad

Square & Flat Pin With Led & Test Button

Part no.	Description	No. of Pins
BLY2(...V)LT	2 pole 10A	8
BMV2(...V)LT	2 pole 5A	8
BMV4(...V)LT	4 pole 5A	14
TLY2(...V)LT	2 pole 10A	8
TMY4(...V)LT	4 pole 5A	14

Bases To Suit Square & Flat Pin Relays

Part no.	Description	No. of Pins
PTF-08A	2 pole 10A	8
PTF-08I	2 pole 10A (IZUMI)	8
PYF-08A	2 pole 5A	8
PYF-14A-E	4 pole 5A	14
NDSQ-14	4 pole 5A (IZUMI)	14
RT704	4 pole 5A	14

Round Pin Relays With Led & Test Button

Part no.	Description	No. of Pins
BMK2P(...V)LT	2 pole 10A	8
BMK3P(...V)LT	3 pole 10A	11
TMK2P(...V)LT	2 pole 10A	8
TMK3P(...V)LT	3 pole 10A	11

Bases To Suit Round Pin Relays

Part no.	Description	No. of Pins
PF-083A-E	2 pole	8
PF-113A-E	3 pole	11



Heavy Duty Relays

Part no.	Description
HF-116F-2/240-L1HS	240V AC 30A 3hp rated SPST
HF-116F-2/24A-L2HS	24V AC 25A 2hp rated DPST
692/240A5-2C22F	20A 240V DPDT 2.5HP heavy duty relay
692/024A6-2C22F	20A 240V DPDT 2.5HP heavy duty relay

Phase Fail Relays

Part no.	Description
EUR-RSTB	Phase Fail / Phase Sequence Relay, Under Voltage Detection (-10%), Over Voltage Detection (+10%) Adjustable Time Delay from 0.1sec to 10sec.

Slimline Relays

1 pole 10A and 2 pole 5A. Bases are din rail mounted

Part no.	Coil	Pole	Contacts	A Rating
EUR-1-SN	240VAC	1	SPDT	10A
EUR-1-SN	110VAC	1	SPDT	10A
EUR-1-SN	24VAC	1	SPDT	10A
EUR-1-SN	24VDC	1	SPDT	10A
EUR-1-SN	12VDC	1	SPDT	10A
EUR-2-SN	240VAC	2	DPDT	5A
EUR-2-SN	110VAC	2	DPDT	5A
EUR-2-SN	24VAC	2	DPDT	5A
EUR-2-SN	24VDC	2	DPDT	5A
EUR-2-SN	12VDC	2	DPDT	5A

Slimline Relay Bases

Part no.	Description
EUR-05-E	base to suit TIG-1-SN
EUR-08-E	base to suit TIG-2-SN

Ultra Slim Relay Modules

6.2mm wide. 1 x 6A C/O contact. C/W LED status indication. Din mount.
Coil consumption 0.17W. 24V AC/DC universal coil and base.

Part no.	Description
EUR-SLR24	24VAC/DC ultra slim relay and base
TBU4N-CS10	10 way comb type commoning bar

Please contact your distributor for pricing details.

Distributed by:

N.A.W. Controls Victoria
98 Commercial Drive, Thomastown VIC 3074
Phone (03) 9464 6555 Fax (03) 9464 5155
Email sales@nawcontrols.com.au
www.nawcontrols.com.au

Sparky Shed
10/229 Robinson Road East,
Geebung QLD 4034
Phone (07) 3265 3968 Fax (07) 3265 1098
www.sparkyshed.com.au

Tobin Electrical Components
2C Brunner Road, Chullora NSW 2190
Phone 1300 TOBINS, (02) 8713 5200 Fax (02) 9790 5211
Email sales@tobins.com.au
www.tobins.com.au

Switchgear Direct
38 McMillan Road, Echuca VIC 3564
Phone (03) 5484 3399 Fax (03) 5410 1044
Email sales@switchgeardirect.com.au
www.switchgeardirect.vpweb.com.au

Gordon Wood & Company
31 Sunderland Street, Moonah TAS 7009
Phone 03 6273 4455 Fax 03 6273 4734
www.gordonwood.net.au

Levey Agencies
12 Annie Street, Wickham NSW 2293
Warehouse Hours 8am-4pm
Phone (02) 4023 3844 Fax (02) 4023 3458
www.levyagencies.com.au

Uniquip Industries
2/6 Colin Jamieson Drive, Welshpool WA 6106
Phone 08 9451 4782 Fax 08 9451 7057
Email sales@uniquip.net.au
www.uniquip.net.au